



◆ Plumbing





Plumbing


CONTENTS	PAGE
SOUND LAGGING	51
THERMOBREAK LAGGING	53
SOLAR LAGGING	53
NBR INSULATION	55
DRAIN LAGGING	56
PLUMBING CONSUMABLES	56
PIPE SEALANTS	57
PIPE MARKERS	58
VELPRESS FITTINGS	61
VELPRESS XL FITTINGS	67
COPPER TUBE	70
V-WELD FITTINGS	71
TRIPLUS ACOUSTIC PIPES	73
TRIPLUS ACOUSTIC FITTINGS	74



Acura Sound Lagging

Acura Sound Lagging has an exceedingly dense mass layer providing maximum performance to ensure significant noise reduction, defined high sound absorption and excellent acoustic performance combined with a compacted fire resistant covering, supplied pre-cut so you simply wrap & tape.

**Acura Sound Lagging is unique,
just wrap and tape, job done.**




Features

- Green Star Rated ASTM D5116-17
- Odour free
- Light weight product
- Contains no ozone depleting substances
- Fire Tested to AS 1530.3 with excellent flame resistance
- Independent Acoustic Test Report 6625-1.3R
- Complies with Building Code of Australia (BCA)
- Pre-cut for effortless installation

SOUND LAGGING


SOUND LAGGING



* Refer page 129 for Aluminium Tape.

QUICK	PART NO	SIZE (mm)	LENGTH (mm)	WEIGHT (kg/m2)	TO SUIT	QTY
C2924	21SL123	1200	3000	5	-	30

INSERTION LOSS (DB) OF SOUND LAGGING





◆ Acura Thermobreak Lagging

Acura Thermobreak Lagging is a closed cell, physically crosslinked polyolefin foam with a density of 25 kg/m³, faced with heat laminated pure aluminium foil with reinforcement.


Premium performance pipe insulation offering lower installation costs and maximum energy savings.

◆ Features

- Completely closed cell, physically crosslinked foam pipe insulation
- Heat-bonded factory applied reinforced aluminium foil
- Pre-slit for faster installation
- Flexible, tough and durable
- Excellent compression resistance due to its cross linked foam structure
- Superior insulating properties compared to other flexible closed cell foams
- Chlorine free - suitable for use with stainless steel pipe
- Very high vapour diffusion resistance, Class 1 vapour retarder under ASH RAE 2009
- No cladding required for internal applications
- Conforms to ISO 5659-2 "Smoke Density & Toxicity".
- Anti-Microbial
- Green star compliant product (VOC)
- Complies to NFPA 90A & NFPA 90B

Very high vapour
diffusion resistance

Reinforced
Aluminium Foil



THERMOBREAK LAGGING

THERMOBREAK LAGGING



* Refer page 129 for Aluminium Tape.

THERMOBREAK LAGGING - 25MM

PART NO	LENGTH (mm)	I.D. (mm)	TO SUIT	WALL THICKNESS (mm)	QTY
41HCL1225	2000	13	15CU	25	40
41HCL1525	2000	16	16PEX	25	38
41HCL2025	2000	20	20CU	25	35
41HCL2525	2000	25	25CU	25	30
41HCL3225	2000	32	32CU	25	28
41HCL4025	2000	38	40CU	25	25
41HCL5025	2000	51	50CU	25	17
41HCL6525	2000	64	65CU	25	14
41HCL8025	2000	76	80CU	25	10
41HCL10025	2000	102	100CU	25	9
41HCL12525	2000	127	125CU	25	8
41HCL15025	2000	152	150CU	25	5

THERMOBREAK LAGGING - 38MM

PART NO	LENGTH (mm)	I.D. (mm)	TO SUIT	WALL THICKNESS (mm)	QTY
41HCL2038	2000	20	20CU	38	20
41HCL2538	2000	25	25CU	38	20
41HCL3238	2000	32	32CU	38	15
41HCL4038	2000	38	40CU	38	15
41HCL5038	2000	51	50CU	38	12
41HCL6538	2000	64	65CU	38	10
41HCL8038	2000	76	80CU	38	8
41HCL10038	2000	102	100CU	38	5
41HCL12538	2000	127	125CU	38	5
41HCL15038	2000	152	150CU	38	4

Other sizes available on request.

Premium performance thermal pipe insulation with a very high vapour diffusion resistance. Completely closed cell, physically crosslinked polyolefin foam with a density of 25 kg/m³, faced with heat laminated pure aluminium foil with reinforcement for steel, plastic and copper pipes. Pre-slit for faster installation.

Acura Thermobreak lagging is a preformed closed cell physically crosslinked polyolefin foam tube insulation with reinforced foil facing for steel, plastic and copper pipes.



SOLAR LAGGING

SOLAR LAGGING



PART NO	LENGTH (mm)	I.D. (mm)	TO SUIT	WALL THICKNESS (mm)	QTY
41HCL2025SOLAR	2000	20	20CU	25	60
41HCL2525SOLAR	2000	25	25CU	25	60
41HCL3225SOLAR	2000	32	32CU	25	60
41HCL4025SOLAR	2000	38	40CU	25	60



Acura NBR Insulation

NBR insulation pipe installation is a flexible closed cell thermal insulation material for condensation control in air-conditioning, refrigeration and chilled water installations.

It is also suitable for reducing thermal losses in heating and plumbing systems. The combination of its technical properties (a low thermal conductivity and a high resistance to water vapour transmission) and its competitive price makes it a cost effective energy-saving solution.



Outstanding thermal performance

Very secure joints when the sound lagging glue is used

Built-in water vapour barrier

NBR INSULATION

NBR INSULATION



* Refer page 129 for Adhesive.

NBR INSULATION - 9MM

PART NO	LENGTH (mm)	TO SUIT (inch)	TO SUIT (mm)	WALL THICKNESS (mm)	QTY
41ALB0609	2000	1/4	6	9	100
41ALB0909	2000	3/8	10	9	70
41ALB1209	2000	1/2	12	9	45
41ALB1509	2000	5/8	15	9	30
41ALB2209	2000	7/8	22	9	30
41ALB2509	2000	1	25	9	30
41ALB3509	2000	1 3/8	35	9	25

NBR INSULATION - 13MM

PART NO	LENGTH (mm)	TO SUIT (inch)	TO SUIT (mm)	WALL THICKNESS (mm)	QTY
41ALB0613	2000	1/4	6	13	60
41ALB0913	2000	3/8	10	13	50
41ALB1213	2000	1/2	12	13	45
41ALB1513	2000	5/8	15	13	30
41ALB2013	2000	3/4	20	13	30
41ALB2513	2000	1	25	13	20
41ALB2813	2000	1 1/8	28	13	25
41ALB3213	2000	1 1/4 - 32CU	32	13	15
41ALB4013	2000	1 1/2 - 40CU	38	13	15
41ALB5013	2000	2 - 50CU	50	13	15
41ALB6513	2000	2 1/2 - 65CU	63.5	13	15

NBR INSULATION - 19MM

PART NO	LENGTH (mm)	TO SUIT	TO SUIT (mm)	WALL THICKNESS (mm)	QTY
41ALB0619	2000	1/4	6	19	30
41ALB0919	2000	3/8	10	19	30
41ALB1219	2000	1/2	12	19	30
41ALB1519	2000	5/8	15	19	20
41ALB2019	2000	3/4	20	19	20
41ALB2219	2000	7/8	22	19	17
41ALB2519	2000	1	25	19	12
41ALB2819	2000	1 1/8	28	19	9
41ALB3219	2000	1 1/4 - 32CU	32	19	9
41ALB3519	2000	1 3/8	35	19	9
41ALB4019	2000	1 1/2 - 40CU	38	19	9
41ALB5019	2000	2 - 50CU	50	19	9
41ALB5419	2000	2 1/8	54	19	8

NBR INSULATION - 25MM

PART NO	LENGTH (mm)	TO SUIT (inch)	TO SUIT (mm)	WALL THICKNESS (mm)	QTY
41ALB0925	2000	3/8	10	25	20
41ALB1225	2000	1/2	12	25	20
41ALB1525	2000	5/8	15	25	15
41ALB2025	2000	3/4	20	25	12
41ALB2225	2000	7/8	22	25	12
41ALB2525	2000	1	25	25	9
41ALB2825	2000	1 1/8	28	25	8
41ALB3525	2000	1 3/8	35	25	8

NBR a flexible closed cell elastomeric foam suitable for condensation control, thermal insulation and sound absorption. The NBR range covers the majority of pipe sizes used in every possible installation.

NBR is rated AS 1530.3 for spread of flame and fire propagation. It does not melt, nor drip when burning, therefore does not cause fire transfer. Low smoke density makes it a safer option.

Quick and easy to install due to its high flexibility, dimensional stability and smooth surface skin. It can be applied on pipes, ducts and tanks.

NBR pipe insulation is compounded to achieve a high water vapour diffusion resistance through its closed cell structure and outer dense skin. This helps maintaining a steady thermal performance and a long service life.

Material strength is approximately twice as strong as other elastomerics, an elastomeric foam based on synthetic rubber with density between 60-70 Kg/m³.





DRAIN LAGGING

PLUMBING LAGGING



PART NO	SIZE (mm)	LENGTH (mtr)	QTY
21PL3270J	100	25	10

POLILAG



PART NO	SIZE (mm)	LENGTH (mtr)	QTY
16POLYLAG	100	10	10

POLY SLEEVE



PART NO	TO SUIT	LENGTH (mtr)	QTY
16POLYSLV100	100PVC	6	5

PLUMBING CONSUMABLES

AQUASEAL



QUICK	PART NO	SIZE (mm)	MATERIAL SIZE (mm)	QTY
C1145	31AFE0B	3 - 20	75 x 75	20
C1146	31AFE1B	5 - 45	115 x 115	20
C1147	31AFE2B	25 - 70	155 x 155	20
C1148	31AFE3B	50 - 100	205 x 205	10
C1149	31AFE4B	90 - 150	255 x 255	10
C1150	31AFE5B	125 - 200	305 x 305	10
C1151	31AFE6B	150 - 230	355 x 355	10
C1152	31AFE7B	200 - 300	440 x 440	5

DENSO TAPE



QUICK	PART NO	SIZE (mm)	QTY
C1119	21DENSO50	50	36
C1118	21DENSO100	100	18

FEMALE TEST CAP



QUICK	PART NO	QTY
C1597	40TC12F	100

PLASTIC STUD GROMMET



* Refer page 142 for Stud Punch.

QUICK	PART NO	HOLE SIZE (mm)	QTY
I0834	26ESGP	34	100

METAL NOGGING



QUICK	PART NO	QTY
C1120	30BARNOG	24

KEY TAG



QUICK	PART NO	COLOUR	QTY
I1212	30KEYTAG	WHITE	50
I1213	30KEYTAG-B	BLUE	50
I1214	30KEYTAG-L	LILAC	50
I1215	30KEYTAG-R	RED	50

PIPE SEALANTS

PVC PIPE CEMENT - BLUE



QUICK	PART NO	SIZE	QTY
C1128	30PVCB	500ml	24
C1129	30PVCB-4L	4L	4

PVC PIPE CEMENT - CLEAR



QUICK	PART NO	SIZE	QTY
C1130	30PVCC	500ml	24
C1131	30PVCC-4L	4L	4

PVC PIPE CEMENT - GREEN



QUICK	PART NO	SIZE	QTY
C1133	30PVCG	500ml	24

PVC PRIMER FLUID - RED



QUICK	PART NO	SIZE	QTY
C1137	30PVCPR-R	500ml	24
C1138	30PVCPR-4L	4L	4

PVC PRIMER FLUID - CLEAR



QUICK	PART NO	SIZE	QTY
C1135	30PVCPC	500ml	24
C1136	30PVCPC-4L	4L	4

TEFLON TAPE



QUICK	PART NO	COLOUR	QTY
C1141	30TEFP	PINK	10
C1142	30TEFW	WHITE	10
C1143	30TEFY	YELLOW	10
C1140	30TEFG	GREY	10

LOXEAL



QUICK	PART NO	SIZE	QTY
C1123	30LOXEAL5811-100	100ML	10
C1124	30LOXEAL-250	250ML	10

MIRROR PASTE



QUICK	PART NO	QTY
I1224	30MPASTE	1

LOCTITE STRING SEAL



QUICK	PART NO	QTY
C1125	30LT55	1

HAWKINS PASTE



QUICK	PART NO	QTY
C1122	30HPASTE	1



PIPE MARKERS

PIPE MARKERS



* Please Note: Packs of 10

CUSTOM PIPE MARKERS

QUICK	PART NO	DESCRIPTION	LENGTH (mm)	SIZE (mm)	QTY
C1289	3216830	<CUSTOM TEXT>	380	30	1
C1290	3216850	<CUSTOM TEXT>	400	50	1

STANDARD PIPE MARKERS

QUICK	PART NO	DESCRIPTION	LENGTH (mm)	SIZE (mm)	QTY
C1155	3210030	SOLAR HOT WATER RETURN	380	30	1
C1156	3210050	SOLAR HOT WATER RETURN	400	50	1
C1157	3210130	CHILLED WATER	380	30	1
C1158	3210150	CHILLED WATER	400	50	1
C1159	3210230	SYPHONIC STORMWATER	380	30	1
C1160	3210250	SYPHONIC STORMWATER	400	50	1
C1161	3210330	COLD WATER	380	30	1
C1162	3210350	COLD WATER	400	50	1
C1163	3210430	CHILLED WATER RETURN	380	30	1
C1164	3210450	CHILLED WATER RETURN	400	50	1
C1167	3210630	DOMESTIC HOT WATER	380	30	1
C1168	3210650	DOMESTIC HOT WATER	400	50	1
C1169	3210730	REVERSE OSMOSIS	380	30	1
C1170	3210750	DOMESTIC WATER	400	50	1
C1171	3210830	STORMWATER DRAINAGE	380	30	1
C1172	3210850	STORMWATER DRAINAGE	400	50	1
C1173	3210930	DRINKING WATER	380	30	1
C1174	3210950	FLOW	400	50	1
C1175	3211130	RECLAIMED WATER	380	30	1
C1176	3211150	HEATING WATER RETURN	400	50	1
C1177	3211230	SOFT WATER	380	30	1
C1178	3211250	HEATING WATER FLOW	400	50	1
C1179	3211330	SOLAR HOT WATER FLOW	380	30	1
C1180	3211350	SOLAR HOT WATER FLOW	400	50	1
C1181	3211430	HOT WATER	380	30	1
C1182	3211450	HOT WATER	400	50	1
C1183	3211530	NON-POTABLE WATER	380	30	1
C1184	3211550	NON-POTABLE WATER	400	50	1
C1185	3211630	OVERFLOW	380	30	1
C1186	3211650	TANK OVERFLOW	400	50	1
C1187	3211730	POTABLE WATER	380	30	1
C1188	3211750	POTABLE WATER	400	50	1
C1189	3211830	TREATED WATER	380	30	1
C1190	3211850	RAINWATER	400	50	1
C1191	3211930	WASTE WATER	380	30	1

QUICK	PART NO	DESCRIPTION	LENGTH (mm)	SIZE (mm)	QTY
C1192	3211950	WASTE WATER	400	50	1
C1225	3213630	NATURAL GAS KPA	380	30	1
C1226	3213650	NATURAL GAS KPA	400	50	1
C1249	3214830	FIRE HOSE REEL	380	30	1
C1250	3214850	FIRE HOSE REEL	400	50	1
C1251	3214930	FIRE HYDRANT	380	30	1
C1252	3214950	SEWER PUMP LINE	400	50	1
C1253	3215030	FIRE SERVICE	380	30	1
C1254	3215050	FIRE SERVICE	400	50	1
C1255	3215130	FIRE SPRINKLER	380	30	1
C1256	3215150	FIRE SPRINKLERS	400	50	1
C1267	3215730	SOIL WASTE	380	30	1
C1268	3215750	GREASY WASTE	400	50	1
C1271	3215930	SEWERAGE	380	30	1
C1272	3215950	SEWERAGE	400	50	1
C1273	3216030	WASTE	380	30	1
C1274	3216050	WASTE	400	50	1
C1275	3216130	VENT	380	30	1
C1276	3216150	VENT	400	50	1
C1277	3216230	STORM WATER	380	30	1
C1278	3216250	STORM WATER	400	50	1
C1279	3216330	HOT WATER FLOW	380	30	1
C1280	3216350	HOT WATER FLOW	400	50	1
C1281	3216430	COLD WATER FLOW	380	30	1
C1282	3216450	COLD WATER FLOW	400	50	1
C1283	3216530	HOT WATER RETURN	380	30	1
C1284	3216550	HOT WATER RETURN	400	50	1
C1285	3216630	COLD WATER RETURN	380	30	1
C1286	3216650	COLD WATER RETURN	400	50	1
C1287	3216730	DOMESTIC COLD WATER	380	30	1
C1288	3216750	DOMESTIC COLD WATER	400	50	1
C1291	3216930	RECLAIMED WATER - DO NOT DRINK	380	30	1
C1292	3217030	CONDENSATE	380	30	1
C1293	3217050	STEAM RETURN	400	50	1

TIGER TAPE



QUICK	PART NO	SIZE (mm)	LENGTH (mtr)	QTY
C1309	32TT50	48	33	1



The evolution of
push-fit waste and
drainage systems.

Product range - page 73-79.

valsir®



AS/NZS 7671:2010
License No. WMK25784




SINGAPORE
GREEN
BUILDING
PRODUCT
SGBC



PRESS-FIT CONNECTION SYSTEM BY VELOX®

The Velpress Press Fit Connection System is fully certified, reliable and simple to use, secure with permanent joints, practical design, leak indicator and flame free installation.

Guaranteed lifelong secure leak-proof joints. Velpress is versatile, cost effective and safe. The Velpress joints can't be tampered with and the design ensures easy access. Fully certified, totally on-site practical with timeless performance. With a simple installation method and no brazing, it only takes seconds to create a permanent joint between pipe and fitting.



Tamper resistant joints

Unique O-ring design
provides a leak indicator
during testing

Guaranteed lifelong
secure leak-proof joints

Suitable for Water or Gas

Install in seconds
No Brazing required



Our Velpress range consists of fittings sized 15-50mm.

Velpress Press-Fit Connection System is always cost effective in material, time and labour. Velpress offers a simple installation method that does not require brazing.


The Velpress superior resistance reduction technology allows water or gas to flow smoothly throughout the total pipeline system.

Significantly improves the pipe and flow performance as well as the efficiencies created through the Velpress Installation method. Velpress is cost effective and also minimises material, time & labour.



VELPRESS FITTINGS

VELPRESS ELBOW 45DEG




VELPRESS WATER ELBOW 45 DEGREE

QUICK	PART NO	SIZE (mm)	QTY
C2635	49VPW45E015	15	10
C2636	49VPW45E020	20	10
C2637	49VPW45E025	25	5
C2638	49VPW45E032	32	5
C2639	49VPW45E040	40	1
C2640	49VPW45E050	50	1

VELPRESS GAS ELBOW 45 DEGREE

QUICK	PART NO	SIZE (mm)	QTY
C2496	49VPG45E015	15	10
C2497	49VPG45E020	20	10
C2498	49VPG45E025	25	5
C2499	49VPG45E032	32	5
C2500	49VPG45E040	40	1
C2501	49VPG45E050	50	1

VELPRESS ELBOW 90DEG




VELPRESS WATER ELBOW 90 DEGREE

QUICK	PART NO	SIZE (mm)	QTY
C2646	49VPW90E015	15	10
C2647	49VPW90E020	20	10
C2648	49VPW90E025	25	5
C2649	49VPW90E032	32	5
C2650	49VPW90E040	40	1
C2651	49VPW90E050	50	1

VELPRESS GAS ELBOW 90 DEGREE

QUICK	PART NO	SIZE (mm)	QTY
C2505	49VPG90E015	15	10
C2506	49VPG90E020	20	10
C2507	49VPG90E025	25	5
C2508	49VPG90E032	32	5
C2509	49VPG90E040	40	1
C2510	49VPG90E050	50	1

VELPRESS END CAP



VELPRESS WATER END CAP

QUICK	PART NO	SIZE (mm)	QTY
C2698	49VPWEC015	15	10
C2699	49VPWEC020	20	10
C2700	49VPWEC025	25	5
C2701	49VPWEC032	32	5
C2702	49VPWEC040	40	1
C2703	49VPWEC050	50	1

VELPRESS GAS END CAP

QUICK	PART NO	SIZE (mm)	QTY
C2536	49VPGEC015	15	10
C2537	49VPGEC020	20	10
C2538	49VPGEC025	25	5
C2539	49VPGEC032	32	2
C2540	49VPGEC040	40	1
C2541	49VPGEC050	50	1



VELPRESS FITTING REDUCER



VELPRESS WATER FITTING REDUCER

QUICK	PART NO	SIZE (mm)	QTY
C2711	49VPWFR02015	20 x 15	10
C2712	49VPWFR02515	25 x 15	5
C2713	49VPWFR02520	25 x 20	5
C2714	49VPWFR03220	32 x 20	5
C2715	49VPWFR03225	32 x 25	5
C2716	49VPWFR04020	40 x 20	1
C2717	49VPWFR04025	40 x 25	1
C2718	49VPWFR04032	40 x 32	1
C2719	49VPWFR05025	50 x 25	1
C2720	49VPWFR05032	50 x 32	1
C2721	49VPWFR05040	50 x 40	1

VELPRESS GAS FITTING REDUCER

QUICK	PART NO	SIZE (mm)	QTY
C2542	49VPGFR02015	20 x 15	10
C2543	49VPGFR02515	25 x 15	5
C2544	49VPGFR02520	25 x 20	5
C2545	49VPGFR03220	32 x 20	5
C2546	49VPGFR03225	32 x 25	5
C2547	49VPGFR04020	40 x 20	1
C2548	49VPGFR04025	40 x 25	1
C2549	49VPGFR04032	40 x 32	1
C2550	49VPGFR05025	50 x 25	1
C2551	49VPGFR05032	50 x 32	1
C2552	49VPGFR05040	50 x 40	1

VELPRESS SLIP COUPLING



VELPRESS WATER SLIP COUPLING

QUICK	PART NO	SIZE (mm)	QTY
C2769	49VPWSLP015	15	10
C2770	49VPWSLP020	20	10
C2771	49VPWSLP025	25	5
C2772	49VPWSLP032	32	5
C2773	49VPWSLP040	40	1
C2774	49VPWSLP050	50	1

VELPRESS EQUAL TEE



VELPRESS WATER EQUAL TEE

QUICK	PART NO	SIZE (mm)	QTY
C2778	49VPWT015	15	10
C2779	49VPWT020	20	10
C2780	49VPWT025	25	5
C2781	49VPWT032	32	5
C2782	49VPWT040	40	1
C2783	49VPWT050	50	1

VELPRESS GAS EQUAL TEE

QUICK	PART NO	SIZE (mm)	QTY
C2600	49VPGT015	15	10
C2601	49VPGT020	20	10
C2602	49VPGT025	25	5
C2603	49VPGT032	32	5
C2604	49VPGT040	40	1
C2605	49VPGT050	50	1

VELPRESS STRAIGHT COUPLING



VELPRESS WATER STRAIGHT COUPLING

QUICK	PART NO	SIZE (mm)	QTY
C2760	49VPWSC015	15	10
C2761	49VPWSC020	20	10
C2762	49VPWSC025	25	5
C2763	49VPWSC032	32	5
C2764	49VPWSC040	40	1
C2765	49VPWSC050	50	1

VELPRESS GAS STRAIGHT COUPLING

QUICK	PART NO	SIZE (mm)	QTY
C2591	49VPGSC015	15	10
C2592	49VPGSC020	20	10
C2593	49VPGSC025	25	5
C2594	49VPGSC032	32	5
C2595	49VPGSC040	40	1
C2596	49VPGSC050	50	1

VELPRESS REDUCING COUPLING



VELPRESS WATER REDUCING COUPLING

QUICK	PART NO	SIZE (mm)	QTY
C2738	49VPWRC02015	20 x 15	10
C2739	49VPWRC02515	25 x 15	10
C2740	49VPWRC02520	25 x 20	5
C2741	49VPWRC03215	32 x 15	5
C2742	49VPWRC03220	32 x 20	5
C2743	49VPWRC03225	32 x 25	5
C2744	49VPWRC04020	40 x 20	5
C2745	49VPWRC04025	40 x 25	1
C2746	49VPWRC04032	40 x 32	1
C2747	49VPWRC05020	50 x 20	1
C2748	49VPWRC05025	50 x 25	1
C2749	49VPWRC05032	50 x 32	1
C2750	49VPWRC05040	50 x 40	1

VELPRESS GAS REDUCING COUPLING

QUICK	PART NO	SIZE (mm)	QTY
C2569	49VPGRC02015	20 x 15	10
C2570	49VPGRC02515	25 x 15	10
C2571	49VPGRC02520	25 x 20	5
C2572	49VPGRC03215	32 x 15	5
C2573	49VPGRC03220	32 x 20	5
C2574	49VPGRC03225	32 x 25	5
C2575	49VPGRC04020	40 x 20	5
C2576	49VPGRC04025	40 x 25	1
C2577	49VPGRC04032	40 x 32	1
C2578	49VPGRC05020	50 x 20	1
C2579	49VPGRC05025	50 x 25	1
C2580	49VPGRC05032	50 x 32	1
C2581	49VPGRC05040	50 x 40	1

VELPRESS BRASS SUPPORT RING



VELPRESS WATER BRASS SUPPORT RING

QUICK	PART NO	SIZE (mm)	QTY
C2495	49VPBSC50	50	10

VELPRESS UNEQUAL TEE



VELPRESS WATER UNEQUAL TEE

QUICK	PART NO	SIZE (mm)	QTY
C2787	49VPWTR0201515	20 x 15(c) x 15	10
C2788	49VPWTR0201520	20 x 15(c) x 20	10
C2789	49VPWTR0202015	20 x 20(c) x 15	10
C2790	49VPWTR0251525	25 x 15(c) x 25	5
C2791	49VPWTR0252025	25 x 20(c) x 25	5
C2792	49VPWTR0321532	32 x 15(c) x 32	5
C2793	49VPWTR0322032	32 x 20(c) x 32	5
C2794	49VPWTR0322532	32 x 25(c) x 32	5
C2795	49VPWTR0402040	40 x 20(c) x 40	1
C2796	49VPWTR0402540	40 x 25(c) x 40	1
C2797	49VPWTR0403240	40 x 32(c) x 40	1
C2798	49VPWTR0502050	50 x 20(c) x 50	1
C2799	49VPWTR0502550	50 x 25(c) x 50	1
C2800	49VPWTR0503250	50 x 32(c) x 50	1
C2801	49VPWTR0504050	50 x 40(c) x 50	1

VELPRESS GAS UNEQUAL TEE

QUICK	PART NO	SIZE (mm)	QTY
C2609	49VPGTR0201515	20 x 15(c) x 15	10
C2610	49VPGTR0201520	20 x 15(c) x 20	10
C2611	49VPGTR0202015	20 x 20(c) x 15	10
C2612	49VPGTR0251525	25 x 15(c) x 25	5
C2613	49VPGTR0252025	25 x 20(c) x 25	5
C2614	49VPGTR0321532	32 x 15(c) x 32	5
C2615	49VPGTR0322032	32 x 20(c) x 32	5
C2616	49VPGTR0322532	32 x 25(c) x 32	5
C2617	49VPGTR0402040	40 x 20(c) x 40	1
C2618	49VPGTR0402540	40 x 25(c) x 40	1
C2619	49VPGTR0403240	40 x 32(c) x 40	1
C2621	49VPGTR0502050	50 x 20(c) x 50	1
C2622	49VPGTR0502550	50 x 25(c) x 50	1
C2623	49VPGTR0503250	50 x 32(c) x 50	1
C2624	49VPGTR0504050	50 x 40(c) x 50	1



VELPRESS BRASS FEMALE LUGGED ELBOW



VELPRESS WATER BRASS FEMALE LUGGED ELBOW

QUICK	PART NO	SIZE (mm)	THREAD SIZE	QTY
C2662	49VPWBFIEL01515	15	15FI	5
C2663	49VPWBFIEL02020	20	20FI	5

VELPRESS TO VELPEX ADAPTER



VELPRESS WATER TO VELPEX ADAPTER

QUICK	PART NO	SIZE (mm)	QTY
C2695	49VPWVPXA16	15 x 16	10
C2696	49VPWVPXA20	20 x 20	10
C2697	49VPWVPXA25	25 x 25	5

VELPRESS GAS TO VELPEX ADAPTER

QUICK	PART NO	SIZE (mm)	QTY
C2533	49VPGVPXA16	15 x 16	10
C2534	49VPGVPXA20	20 x 20	10
C2535	49VPGVPXA25	25 x 25	5

VELPRESS TO VELTANIUM ADAPTER



VELPRESS WATER TO VELTANIUM ADAPTER

QUICK	PART NO	SIZE (mm)	QTY
C2808	49VPWVXA16	15 x 16	5
C2809	49VPWVXA20	20 x 20	5
C2810	49VPWVXA25	25 x 25	5
C3873	49VPWVXA32	32 x 32	1

VELPRESS GAS TO VELTANIUM ADAPTER

QUICK	PART NO	SIZE (mm)	QTY
C3874	49VPGVXA16	15 x 16	5
C3875	49VPGVXA20	20 x 20	5
C3876	49VPGVXA25	25 x 25	5
C3877	49VPGVXA32	32 x 32	1

VELPRESS BRASS MALE LUGGED ELBOW



VELPRESS WATER BRASS MALE LUGGED ELBOW

QUICK	PART NO	LENGTH (mm)	SIZE (mm)	THREAD SIZE	QTY
C2670	49VPWBMIEL0151590	90	15	15MI	5
C2671	49VPWBMIEL0202090	90	20	20MI	5

VELPRESS GAS BRASS MALE LUGGED ELBOW

QUICK	PART NO	LENGTH (mm)	SIZE (mm)	THREAD SIZE	QTY
C2520	49VPGBMIEL0151590	90	15	15MI	5

VELPRESS BRASS FEMALE ELBOW



VELPRESS WATER BRASS FEMALE ELBOW

QUICK	PART NO	SIZE (mm)	THREAD SIZE	QTY
C2672	49VPWBREFI01515	15	15FI	5
C2673	49VPWBREFI02020	20	20FI	5
C2674	49VPWBREFI02525	25	25FI	5

VELPRESS BRASS MALE ELBOW



VELPRESS WATER BRASS MALE ELBOW

QUICK	PART NO	SIZE (mm)	THREAD SIZE	QTY
C2675	49VPWBREMI01515	15	15MI	5
C2676	49VPWBREMI02020	20	20MI	5
C2677	49VPWBREMI02525	25	25MI	5

VELPRESS BRASS MALE COUPLER



VELPRESS WATER BRASS MALE COUPLER

QUICK	PART NO	SIZE (mm)	THREAD SIZE	QTY
C2686	49VPWBRMC01515	15	15MI	10
C2687	49VPWBRMC01520	15	20MI	10
C2688	49VPWBRMC02015	20	15MI	5
C2689	49VPWBRMC02020	20	20MI	5
C2690	49VPWBRMC02520	25	20MI	5
C2691	49VPWBRMC02525	25	25MI	5
C2692	49VPWBRMC03232	32	32MI	1
C2693	49VPWBRMC04040	40	40MI	1
C2694	49VPWBRMC05050	50	50MI	1

VELPRESS GAS BRASS MALE COUPLER

QUICK	PART NO	SIZE (mm)	THREAD SIZE	QTY
C2525	49VPGBRMC01515	15	15MI	10
C2526	49VPGBRMC02015	20	15MI	5
C2527	49VPGBRMC02020	20	20MI	5
C2528	49VPGBRMC02520	25	20MI	5
C2529	49VPGBRMC02525	25	25MI	5
C2530	49VPGBRMC03232	32	32MI	1
C2531	49VPGBRMC04040	40	40MI	1
C2532	49VPGBRMC05050	50	50MI	1

VELPRESS BRASS FEMALE BARREL UNION



VELPRESS WATER BRASS FEMALE BARREL UNION

QUICK	PART NO	SIZE (mm)	THREAD SIZE	QTY
C2657	49VPWBF01515	15	15FI	10
C2658	49VPWBF02525	25	25FI	20
C2659	49VPWBF03232	32	32FI	10
C2660	49VPWBF04040	40	40FI	1
C2661	49VPWBF05050	50	50FI	1

VELPRESS BRASS MALE BARREL UNION



VELPRESS WATER BRASS MALE BARREL UNION

QUICK	PART NO	SIZE (mm)	THREAD SIZE	QTY
C2664	49VPWBM01515	15	15MI	10
C2665	49VPWBM02020	20	20MI	5
C2666	49VPWBM02525	25	25MI	5
C2667	49VPWBM03232	32	32MI	1
C2668	49VPWBM04040	40	40MI	1
C2669	49VPWBM05050	50	50MI	1

VELPRESS GAS BRASS MALE BARREL UNION

QUICK	PART NO	SIZE (mm)	THREAD SIZE	QTY
C2515	49VPGBM02020	20	20MI	5
C2516	49VPGBM02525	25	25MI	5
C2517	49VPGBM03232	32	32MI	1
C2518	49VPGBM04040	40	40MI	1
C2519	49VPGBM05050	50	50MI	1

VELPRESS BRASS FEMALE COUPLER



VELPRESS WATER BRASS FEMALE COUPLER

QUICK	PART NO	SIZE (mm)	THREAD SIZE	QTY
C2678	49VPWBRFC01515	15	15FI	10
C2679	49VPWBRFC02020	20	20FI	5
C2680	49VPWBRFC02525	25	25FI	5
C2681	49VPWBRFC03232	32	32FI	5
C2682	49VPWBRFC04040	40	40FI	5
C2683	49VPWBRFC05050	50	50FI	5

VELPRESS GAS BRASS FEMALE COUPLER

QUICK	PART NO	SIZE (mm)	THREAD SIZE	QTY
C2521	49VPGBRFC02020	20	20FI	5
C2522	49VPGBRFC02525	25	25FI	5
C2523	49VPGBRFC03232	32	32FI	5
C2524	49VPGBRFC04040	40	40FI	5



• Velpress[®] XL

PRESS-FIT CONNECTION SYSTEM BY VELOX[®]


Velpress XL has only three internal parts, the O-ring, grip ring and the seal. Both parts have an internal diameter larger than the tube, which allows for easy tube insertion and pre press leak indication.



AS/NZS 3688:2016
License No. WM 74684



AS/NZS 3688:2016
License No. AMI 74794





Velpress XL

The Velpress XL range consists of fittings sized 65-100mm. Using a fast, secure and flame-free install process, Velpress XL is easy to both install and inspect.

Velpress XL is installed with a hydraulic press tool with a compatibly sized V profile jaw. Once completed, the fitting forms a permanent and durable joint with the pipe and has a 25-year warranty ensuring you peace of mind.

All Velpress XL fittings include a stainless steel grip ring with equally spaced collapse zones ensuring all round equal grip on the tube diameter and an even seal compression between tube and fitting after pressing.

VELPRESS XL FITTINGS

VELPRESS XL UNEQUAL TEE




VELPRESS XL WATER UNEQUAL TEE

QUICK	PART NO	SIZE (mm)	QTY
C2802	49VPWTR0655065	65 x 50(c) x 65	1
C2803	49VPWTR0805080	80 x 50(c) x 80	1
C2804	49VPWTR0806580	80 x 65(c) x 80	1
C2805	49VPWTR10050100	100 x 50(c) x 100	1
C2806	49VPWTR10065100	100 x 65(c) x 100	1
C2807	49VPWTR10080100	100 x 80(c) x 100	1

VELPRESS XL GAS UNEQUAL TEE

QUICK	PART NO	SIZE (mm)	QTY
C2625	49VPGTR0655065	65 x 50(c) x 65	1
C2627	49VPGTR0805080	80 x 50(c) x 80	1
C2628	49VPGTR0806580	80 x 65(c) x 80	1
C2629	49VPGTR10050100	100 x 50(c) x 100	1
C2630	49VPGTR10065100	100 x 65(c) x 100	1
C2631	49VPGTR10080100	100 x 80(c) x 100	1

VELPRESS XL EQUAL TEE



VELPRESS XL WATER EQUAL TEE

QUICK	PART NO	SIZE (mm)	QTY
C2784	49VPWT065	65	1
C2785	49VPWT080	80	1
C2786	49VPWT100	100	1

VELPRESS XL GAS EQUAL TEE

QUICK	PART NO	SIZE (mm)	QTY
C2606	49VPGT065	65	1
C2607	49VPGT080	80	1
C2608	49VPGT100	100	1



VELPRESS XL FLANGE ADAPTER



VELPRESS XL WATER FLANGE ADAPTER

QUICK	PART NO	SIZE (mm)	QTY
C2708	49VPWFA065	65	1
C2709	49VPWFA080	80	1
C2710	49VPWFA100	100	1

VELPRESS XL REDUCING COUPLING



VELPRESS XL WATER REDUCING COUPLING

QUICK	PART NO	SIZE (mm)	QTY
C2751	49VPWRC06532	65 x 32	1
C2752	49VPWRC06540	65 x 40	1
C2753	49VPWRC06550	65 x 50	1
C2754	49VPWRC08040	80 x 40	1
C2755	49VPWRC08050	80 x 50	1
C2756	49VPWRC08065	80 x 65	1
C3008	49VPWRC10050	100 x 50	1
C2757	49VPWRC10065	100 x 65	1
C2758	49VPWRC10080	100 x 80	1

VELPRESS XL GAS REDUCING COUPLING

QUICK	PART NO	SIZE (mm)	QTY
C2582	49VPGRC06532	65 x 32	1
C2583	49VPGRC06540	65 x 40	1
C2584	49VPGRC06550	65 x 50	1
C2585	49VPGRC08040	80 x 40	1
C2586	49VPGRC08050	80 x 50	1
C2587	49VPGRC08065	80 x 65	1
C2588	49VPGRC10050	100 x 50	1
C2589	49VPGRC10065	100 x 65	1
C2590	49VPGRC10080	100 x 80	1

VELPRESS XL FITTING REDUCER



VELPRESS XL WATER FITTING REDUCER

QUICK	PART NO	SIZE (mm)	QTY
C2722	49VPWFR06540	65 x 40	1
C2723	49VPWFR06550	65 x 50	1
C2724	49VPWFR08050	80 x 50	1
C2725	49VPWFR08065	80 x 65	1
C2726	49VPWFR10050	100 x 50	1
C2727	49VPWFR10065	100 x 65	1
C2728	49VPWFR10080	100 x 80	1

VELPRESS XL GAS FITTING REDUCER

QUICK	PART NO	SIZE (mm)	QTY
C2553	49VPGFR06540	65 x 40	1
C2554	49VPGFR06550	65 x 50	1
C2555	49VPGFR08040	80 x 40	1
C2556	49VPGFR08050	80 x 50	1
C2557	49VPGFR08065	80 x 65	1
C2558	49VPGFR10050	100 x 50	1
C2559	49VPGFR10065	100 x 65	1

VELPRESS XL ELBOW 90DEG



VELPRESS XL WATER ELBOW 90 DEGREE

QUICK	PART NO	SIZE (mm)	QTY
C2652	49VPW90E065	65	8
C2653	49VPW90E080	80	5
C2654	49VPW90E100	100	2

VELPRESS XL GAS ELBOW 90 DEGREE

QUICK	PART NO	SIZE (mm)	QTY
C2511	49VPG90E065	65	1
C2512	49VPG90E080	80	1
C2513	49VPG90E100	100	1

VELPRESS XL ELBOW 45DEG



VELPRESS XL WATER ELBOW 45 DEGREE

QUICK	PART NO	SIZE (mm)	QTY
C2641	49VPW45E065	65	1
C2642	49VPW45E080	80	1
C2643	49VPW45E100	100	1

VELPRESS XL GAS ELBOW 45 DEGREE

QUICK	PART NO	SIZE (mm)	QTY
C2502	49VPG45E065	65	1
C2503	49VPG45E080	80	1
C2504	49VPG45E100	100	1

VELPRESS XL STRAIGHT COUPLING



VELPRESS XL WATER STRAIGHT COUPLING

QUICK	PART NO	SIZE (mm)	QTY
C2766	49VPWSC065	65	20
C2767	49VPWSC080	80	15
C2768	49VPWSC100	100	5

VELPRESS XL GAS STRAIGHT COUPLING

QUICK	PART NO	SIZE (mm)	QTY
C2597	49VPGSC065	65	1
C2598	49VPGSC080	80	1
C2599	49VPGSC100	100	1

VELPRESS XL SLIP COUPLING



VELPRESS XL WATER SLIP COUPLING

QUICK	PART NO	SIZE (mm)	QTY
C2775	49VPWSLP065	65	1
C2776	49VPWSLP080	80	1
C2777	49VPWSLP100	100	1

VELPRESS XL END CAP



VELPRESS XL WATER END CAP

QUICK	PART NO	SIZE (mm)	QTY
C2704	49VPWEC065	65	1
C2705	49VPWEC080	80	1
C2706	49VPWEC100	100	1

VELPRESS XL ROLL GROOVE ADAPTER



VELPRESS XL WATER ROLL GROOVE ADAPTER

QUICK	PART NO	SIZE (mm)	QTY
C2759	49VPWRGA100	100	1



COPPER TUBE

COPPER TUBE



W
AS 1432-2004
License No. WMKA 21221

COPPER TUBE - TYPE A

QUICK	PART NO	LENGTH (mm)	SIZE (mm)	QTY
C2159	49CTHD015	6000	100	1
C2160	49CTHD020A	6000	150	1

COPPER TUBE - TYPE B

QUICK	PART NO	LENGTH (mm)	SIZE (mm)	QTY
C2161	49CTHD015B	6000	15	1
C2162	49CTHD020	6000	20	1
C2163	49CTHD025	6000	25	1
C2164	49CTHD032	6000	32	1
C2165	49CTHD040	6000	40	1
C2166	49CTHD050	6000	50	1
C2167	49CTHD065	6000	65	1
C2168	49CTHD080	6000	80	1
C2169	49CTHD100	6000	100	1
C2170	49CTHD125	6000	125	1
C2171	49CTHD150	6000	150	1
C2172	49CTHD200	6000	200	1

COPPER TUBE - REFRIGERATION R410A




PART NO	LENGTH (mm)	SIZE (inch)	SIZE (mm)	QTY
49CTHDR14	6000	1/4	6.35	1
49CTHDR38	6000	3/8	9.5	1
49CTHDR12	6000	1/2	12.7	1
49CTHDR58	6000	5/8	15.88	1
49CTHDR34	6000	3/4	19	1
49CTHDR78	6000	7/8	22.2	1
49CTHDR1	6000	1	25.4	1
49CTHDR118	6000	1.125	28.6	1
49CTHDR138	6000	1.375	34.92	1
49CTHDR158	6000	1.625	41.28	1



Manufactured to Australian Standard AS1432, Velox copper pipes are designed to be strong and reliable and are fully compatible with our Velpress and V-Weld ranges of fittings.

Velox Copper provides peace of mind knowing you're using the highest quality product combined with the best value for money for any gas or water piping system.

As a result of our direct supply partnership with the manufacturer, we are able to supply world-class piping at highly competitive prices.



V-WELD FITTINGS

V-WELD COPPER EQUAL TEE



QUICK	PART NO	SIZE (mm)	QTY
C2148	49COPT020	20	10
C2149	49COPT025	25	5
C2150	49COPT032	32	10
C2151	49COPT040	40	8
C2152	49COPT050	50	5
C2153	49COPT065	65	6
C2154	49COPT080	80	3
C2155	49COPT100	100	1

V-WELD COPPER END CAP



QUICK	PART NO	SIZE (mm)	QTY
C2077	49COPEC020	20	10
C2078	49COPEC025	25	10
C2079	49COPEC032	32	10
C2080	49COPEC040	40	10
C2081	49COPEC050	50	10
C2082	49COPEC065	65	10
C2083	49COPEC080	80	10
C2084	49COPEC100	100	5

V-WELD COPPER 90 DEGREE ELBOW S - RT



QUICK	PART NO	SIZE (mm)	QTY
C2053	49COP90SRE020	20	20
C2054	49COP90SRE025	25	10
C2055	49COP90SRE032	32	10
C2056	49COP90SRE040	40	5
C2057	49COP90SRE050	50	5
C2058	49COP90SRE065	65	3
C2059	49COP90SRE080	80	1
C2060	49COP90SRE100	100	1

V-WELD COPPER 45 DEGREE ELBOW S - R



QUICK	PART NO	SIZE (mm)	QTY
C2029	49COP45SRE020	20	20
C2030	49COP45SRE025	25	20
C2031	49COP45SRE032	32	10
C2032	49COP45SRE040	40	10
C2033	49COP45SRE050	50	10
C2034	49COP45SRE065	65	5
C2035	49COP45SRE080	80	1
C2036	49COP45SRE100	100	1

V-WELD COPPER CONNECTOR



QUICK	PART NO	SIZE (mm)	QTY
C2064	49COPC020	20	10
C2065	49COPC025	25	10
C2066	49COPC032	32	10
C2067	49COPC040	40	10
C2068	49COPC050	50	10
C2069	49COPC065	65	5
C2070	49COPC080	80	1
C2071	49COPC100	100	1

v-weld
COPPER WELDED FITTINGS BY VELOX®

Acura Copper Weld on fittings are manufactured in accordance with Australia Standard AS3688.

V-Weld can be used for pressure and non-pressure applications.

V-WELD COPPER REDUCING CONNECTOR M - F



QUICK	PART NO	SIZE (mm)	QTY
C2100	49COPRC05025	50 x 25	10
C2101	49COPRC05032	50 x 32	10
C2102	49COPRC05040	50 x 40	10
C2103	49COPRC06532	65 x 32	10
C2104	49COPRC06540	65 x 40	10
C2105	49COPRC06550	65 x 50	20
C2106	49COPRC08040	80 x 40	10
C2107	49COPRC08050	80 x 50	10
C2108	49COPRC08065	80 x 65	10
C2109	49COPRC10050	100 x 50	5
C2110	49COPRC10065	100 x 65	5
C2111	49COPRC10080	100 x 80	1

V-WELD COPPER REDUCING CONNECTOR



QUICK	PART NO	SIZE (mm)	QTY
C2090	49COPRC02015	20 x 15	10
C2092	49COPRC02515	25 x 15	10
C2093	49COPRC02520	25 x 20	10
C2094	49COPRC03220	32 x 20	10
C2095	49COPRC03225	32 x 25	10
C2096	49COPRC04020	40 x 20	10
C2097	49COPRC04025	40 x 25	10
C2098	49COPRC04032	40 x 32	10
C2099	49COPRC05020	50 x 20	10



Triplus® waste system advantages

- Speed and extreme ease of installation
- Excellent soundproofing performance - fully compliant with NCC requirements
- High impact resistance at extremely harsh temperatures (as low as -25°C)
- Resistance to intermittent discharges at temperatures as high as 95°C
- Three layers joined together to guarantee elevated mechanical resistance
- High chemical resistance
- Wide range of transition fittings and diameters from DN32mm to DN 250mm
- Recyclable/Production processes based on Green Building principles

Push-fit socket with lip seal


Interior layer resistance to chemical agents

Intermediate layer for mechanical resistance and excellent soundproofing performance.

Polypropylene exterior layer

The intermediate layer is created with a patented polypropylene-based (PP) mix with mineral fillers (MF) to provide the Triplus® system with excellent mechanical characteristics at low (impact resistance at temperatures as low as -25°C) and high temperatures (continuous discharge with temperatures as high as 95°C).

The Triplus® waste system can transport waste waters with PH values between 2 and 12, it has a high resistance to the most common chemical compounds and is characterised by an extremely smooth internal surface that prevents the build-up of internal deposits inside the waste network.



TRIPLUS ACOUSTIC PIPES

TRIPLUS SINGLE SOCKET PIPE



QUICK	PART NO	SIZE (mm)	LENGTH (mm)	QTY
C3324	58TPSSP0500150	50	150	30
C3327	58TPSSP0500250	50	250	30
C3329	58TPSSP0500500	50	500	35
C3323	58TPSSP0501000	50	1000	30
C3325	58TPSSP0501500	50	1500	30
C3326	58TPSSP0502000	50	2000	30
C3328	58TPSSP0503000	50	3000	30
C3331	58TPSSP0750150	75	150	20
C3334	58TPSSP0750250	75	250	20
C3336	58TPSSP0750500	75	500	20
C3330	58TPSSP0751000	75	1000	20
C3332	58TPSSP0751500	75	1500	20
C3333	58TPSSP0752000	75	2000	20
C3335	58TPSSP0753000	75	3000	20
C3345	58TPSSP1100150	110	150	15
C3348	58TPSSP1100250	110	250	15
C3350	58TPSSP1100500	110	500	15
C3344	58TPSSP1101000	110	1000	15
C3346	58TPSSP1101500	110	1500	15
C3347	58TPSSP1102000	110	2000	15
C3349	58TPSSP1103000	110	3000	15

TRIPLUS INSPECTION PIPE



QUICK	PART NO	SIZE (mm)	QTY
C3187	58TPIP050	50	20
C3188	58TPIP075	75	20
C3190	58TPIP110	110	15
C3192	58TPIP160	160	1



Triplus®, the evolution of push-fit waste and drainage systems.

Pipes are made up of three layers of material, which when joined, result in a system with extremely good mechanical characteristics, even at low temperatures, and excellent soundproofing performance.

A push-fit system that includes triple layer pipes, fittings and accessories, produced and patented by Valsir, that guarantees low noise emission levels of waste systems required by the NCC.

The wide range of pipes, fittings and accessories allow construction of the entire waste network, the branches of the sanitary fixtures, the stacks, waste manifolds, etc.

TRIPLUS DOUBLE SOCKET PIPE



QUICK	PART NO	SIZE (mm)	LENGTH (mm)	QTY
C3144	58TPDSP0500500	50	500	25
C3140	58TPDSP0501000	50	1000	30
C3141	58TPDSP0501500	50	1500	30
C3142	58TPDSP0502000	50	2000	30
C3143	58TPDSP0503000	50	3000	30
C3149	58TPDSP0750500	75	500	12
C3145	58TPDSP0751000	75	1000	10
C3146	58TPDSP0751500	75	1500	10
C3147	58TPDSP0752000	75	2000	10
C3148	58TPDSP0753000	75	3000	10
C3159	58TPDSP1100500	110	500	12
C3155	58TPDSP1101000	110	1000	10
C3156	58TPDSP1101500	110	1500	10
C3157	58TPDSP1102000	110	2000	10
C3158	58TPDSP1103000	110	3000	10
C3359	58TPSSP1600150	160	150	1
C3362	58TPSSP1600250	160	250	1
C3364	58TPSSP1600500	160	500	1
C3358	58TPSSP1601000	160	1000	6
C3360	58TPSSP1601500	160	1500	6
C3361	58TPSSP1602000	160	2000	6
C3363	58TPSSP1603000	160	3000	6



TRIPLUS ACOUSTIC FITTINGS

TRIPLUS COUPLING



QUICK	PART NO	SIZE (mm)	QTY
C3103	58TPC050	50	30
C3104	58TPC075	75	20
C3106	58TPC110	110	20
C3108	58TPC160	160	1

TRIPLUS SLIP COUPLING



QUICK	PART NO	SIZE (mm)	QTY
C3285	58TPSC050	50	30
C3286	58TPSC075	75	20
C3288	58TPSC110	110	20
C3290	58TPSC160	160	1

TRIPLUS LEVEL INVERT TAPER



QUICK	PART NO	SIZE (mm)	QTY
C3213	58TPLIT07550	75 x 50	20
C3214	58TPLIT11075	110 x 75	20

TRIPLUS ECCENTRIC REDUCER



QUICK	PART NO	SIZE (mm)	QTY
C3176	58TPER07550	75 x 50	30
C3181	58TPER11050	110 x 50	20
C3182	58TPER11075	110 x 75	20
C3185	58TPER160110	160 x 110	1

TRIPLUS PVC REDUCING SOCKET ADAPTER



QUICK	PART NO	SIZE (mm)	QTY
C3235	58TPPVCSA05650	50PVC x 50	50
C3237	58TPPVCSA07570	65PVC x 75	30

TRIPLUS AIR ADMITTANCE VALVE



QUICK	PART NO	SIZE (mm)	QTY
C3878	58TPAAV50	50	12

TRIPLUS 15 DEGREE BEND



QUICK	PART NO	SIZE (mm)	QTY
C3060	58TPB15050	50	30
C3061	58TPB15075	75	20
C3063	58TPB15110	110	20
C3065	58TPB15160	160	20

TRIPLUS 30 DEGREE BEND



QUICK	PART NO	SIZE (mm)	QTY
C3068	58TPB30050	50	30
C3069	58TPB30075	75	20
C3071	58TPB30110	110	20
C3073	58TPB30160	160	1

TRIPLUS 45 DEGREE BEND



QUICK	PART NO	SIZE (mm)	QTY
C3076	58TPB45050	50	30
C3077	58TPB45075	75	20
C3079	58TPB45110	110	20
C3081	58TPB45160	160	1

TRIPLUS 87 DEGREE BEND



QUICK	PART NO	SIZE (mm)	QTY
C3093	58TPB87050	50	30
C3094	58TPB87075	75	20
C3096	58TPB87110	110	20
C3098	58TPB87160	160	1

TRIPLUS LONG RADIUS BEND



QUICK	PART NO	SIZE (mm)	QTY
C3218	58TPLRB87050	50	30
C3219	58TPLRB87075	75	15
C3221	58TPLRB87110	110	20

TRIPLUS 45 DEGREE JUNCTION



QUICK	PART NO	SIZE (mm)	QTY
C3196	58TPJ45050	50	20
C3197	58TPJ45075	75	20
C3199	58TPJ45110	110	10
C3203	58TPJ45160	160	5



TRIPLUS 87 DEGREE JUNCTION



QUICK	PART NO	SIZE (mm)	QTY
C3205	58TPJ87050	50	20
C3206	58TPJ87075	75	20
C3208	58TPJ87110	110	10
C3212	58TPJ87160	160	1

TRIPLUS 45 DEGREE REDUCING JUNCTION



QUICK	PART NO	SIZE (mm)	QTY
C3241	58TPRJ4507550	75 x 50	25
C3245	58TPRJ4511050	110 x 50	20
C3246	58TPRJ4511075	110 x 75	15
C3250	58TPRJ45160110	160 x 110	1

TRIPLUS 87 DEGREE REDUCING JUNCTION



QUICK	PART NO	SIZE (mm)	QTY
C3261	58TPRJ8707550	75 x 50	25
C3265	58TPRJ8711050	110 x 50	20
C3266	58TPRJ8711075	110 x 75	15
C3270	58TPRJ87160110	160 x 110	1

TRIPLUS 87 DEGREE DOUBLE JUNCTION



QUICK	PART NO	SIZE (mm)	QTY
C3122	58TPDJ87110110110	110	5
C3123	58TPDJ871105050	110 x 50 x 50	5

TRIPLUS 45 DEGREE DOUBLE JUNCTION



QUICK	PART NO	SIZE (mm)	QTY
C3121	58TPDJ45110110110	110	5

TRIPLUS 87 DEGREE SWEEP JUNCTION



QUICK	PART NO	SIZE (mm)	QTY
C3296	58TPSJ87110110	110	8
C3297	58TPSJ8711075	110 x 75	10

TRIPLUS 87 DEGREE DOUBLE SWEEP JUNCTION


QUICK	PART NO	SIZE (mm)	QTY
C3127	58TPDSJ87110110110	110	5
C3128	58TPDSJ8711011075	110 x 110 x 75	5

TRIPLUS 87 DEGREE DOUBLE CORNER BRANCH


QUICK	PART NO	SIZE (mm)	QTY
C3112	58TPDCB87110110110	110	5

TRIPLUS 87 DEGREE DOUBLE CORNER BALL BRANCH


QUICK	PART NO	SIZE (mm)	QTY
C3893	58TPDCBB87110110110	110	5
C3894	58TPDCBB87160110110	160 x 110	1

TRIPLUS 87 DEGREE DOUBLE BALL JUNCTION


QUICK	PART NO	SIZE (mm)	QTY
C3895	58TPDBJ87110110110	110	5
C3896	58TPDBJ87160110110	160 x 110	1

TRIPLUS 87 DEGREE 4 WAY BALL JUNCTION


QUICK	PART NO	SIZE (mm)	QTY
C3897	58TP4WBJ87110110	110	5
C3898	58TP4WBJ87160110	160 x 110	1

TRIPLUS FLOOR WASTE JUNCTION


QUICK	PART NO	SIZE (mm)	QTY
C3376	58TPTT1105075	110 x 50 x 75	5



TRIPLUS P TRAP



QUICK	PART NO	SIZE (mm)	QTY
C3900	58PT110	110	1

TRIPLUS PALAZZI TRAP



QUICK	PART NO	SIZE (mm)	QTY
C3901	58PZTP11075	110 x 75	1

TRIPLUS END CAP



QUICK	PART NO	SIZE (mm)	QTY
C3166	58TPEC050	50	20
C3167	58TPEC075	75	15
C3169	58TPEC110	110	20
C3171	58TPEC160	160	10

TRIPLUS VENTILATION BRANCH



QUICK	PART NO	SIZE (mm)	QTY
C3879	58TPVBF110	110	1
C3881	58TPVBF160	160	1

TRIPLUS ACOUSTIC ACCESSORIES

TRIPLUS LUBRICANT



QUICK	PART NO	QTY
C3226	58TPLUB250	50

TRIPLUS BEVELLING TOOL



QUICK	PART NO	QTY
C3847	58TPBT	1

TRIPLUS ANTI LOOSENING CLAMP



QUICK	PART NO	SIZE (mm)	QTY
C3843	58TPALC050	50	10
C3844	58TPALC075	75	10
C3846	58TPALC110	110	10
C3880	58TPALC160	160	10

TRIPLUS REPLACEMENT T TRAP BAFFLE



QUICK	PART NO	QTY
C3882	58TPRTTB	1

TRIPLUS ANTI VIBRATION PIPE CLIP



QUICK	PART NO	SIZE (mm)	QTY
C3229	58TPPC050	50	50
C3233	58TPPC075	75	25
C3231	58TPPC110	110	25
C3232	58TPPC160	160	25

TRIPLUS REPLACEMENT O-RINGS



QUICK	PART NO	SIZE (mm)	QTY
C3885	58TPOR050	50	20
C3886	58TPOR075	75	20
C3888	58TPOR110	110	20
C3890	58TPOR160	160	20